

**IN THE CLAIMS:**

Claims 1 & 2 (canceled);

3 (currently amended). A head covering ~~as described in claim 2,~~  
wherein comprising:

a cap including a head cover member and a bill, said bill being  
securely attached to said head cover member, and extending forwardly  
therefrom, and has a top side, and further having a recessed portion  
disposed in said top side, said recessed portion ~~includes~~ including a  
mirror-receiving recessed portion extending through a portion of a front  
edge of said bill and being spaced from side edges of said bill and  
extending along and being spaced from a portion of a back edge of said  
bill, and also ~~includes~~ including handle-receiving recessed portions being  
disposed through said side edges of said bill and being continuous  
offshoots of said mirror-receiving recessed portion;

a shroud assembly including a shroud being removably depending  
from said cap;

fastening members for fastening said shroud to said cap; and

a mirror assembly including a mirror being attached to said bill for  
allowing a user to view about oneself while wearing said head covering.

4 (original). The head covering as described in claim 3, wherein  
said cap further includes a first elastic tab being attached to a back side  
and to a bottom edge of said head cover member for adjusting the size of  
said head cover member.

5 (currently amended). The head covering as described in claim 4,  
wherein said mirror has a back edge which is ~~hingedly~~ attached to said  
front edge of said bill and also has a front edge, said mirror being  
foldable upon and off said bill and being removably received in said  
mirror-receiving recessed portion.

6 (original). The head covering as described in claim 5, wherein said mirror assembly further includes an elongate handle member being attached to said front edge of said mirror, said handle member having a main portion being removably received in said mirror-receiving recessed portion and also having end portions being removably received in said handle-receiving recessed portions.

7 (original). The head covering as described in claim 6, wherein said shroud assembly also includes a support strip being attached along a top edge of said shroud, and further includes a second elastic tab being attached to said support strip for adjusting the size of said support strip, and also includes a stiffener strip being disposed in an intermediate portion of said shroud and extending from said top edge to a bottom edge of said shroud for preventing said shroud from being blown about in the wind.

8 (original). The head covering as described in claim 7, wherein said support strip includes a head cover attaching portion, and also includes bill attaching end portions, said head cover attaching portion and said bill attaching end portions being planar portions, said planar portion of said head cover attaching portion being disposed generally 90 degrees relative to said planar portions of said bill attaching end portions to facilitate attaching said support strip to said head cover member and to said bill.

9 (original). The head covering as described in claim 8, wherein said fastening members include first fastening members being attached along said bottom edge of said head cover member and along said side edges of a bottom side of said bill, and also include second fastening

members being attached along said support strip and being fastenable to said first fastening members.

10 (original). The head covering as described in claim 9, wherein said shroud is a sheet of material being removably depending from said bottom edge of said head cover member and from said side edges of said bill.

11 (original). The head covering as described in claim 10, wherein said shroud is a sheet of mesh material being removably depending from said bottom edge of said head cover member and from said side edges of said bill.